PAIN

Pain 134 (2008) 346–348

www.elsevier.com/locate/pain

Author Index to Volume 134 (2008)

Ahonen, J., see Jokela, R., **134** 106
Asghari, A., see Nicholas, M.K., **134** 158
Asmundson, G.J.G., Bovell, C.V., Carleton, R.N., McWilliams, L.A., The Fear of Pain Questionnaire – Short Form (FPQ-SF): Factorial validity and psychometric properties, **134** 51

Baba, H., see Georgiev, S.K., **134** 24
Belzberg, A.J., see Dorsi, M.J., **134** 320
Benedek, G., see Horvath, G., **134** 277
Blyth, F.M., see Nicholas, M.K., **134** 158
Bodfish, J.W., see Symons, F.J., **134** 232
Bovell, C.V., see Asmundson, G.J.G., **134** 51
Brigidi, B., see Naylor, M.R., **134** 335
Buysse, A., see Vervoort, T., **134** 59

Cacace, I., see De Pascalis, V., **134** 197
Cairns, B.E., see Sung, D., **134** 41
Campbell, C.M., France, C.R., Robinson, M.E., Logan, H.L., Geffken, G.R., Fillingim, R.B., Ethnic differences in the nociceptive flexion reflex (NFR), **134** 91
Carleton, R.N., see Asmundson, G.J.G., **134** 51
Charlton, M.P., Dostrovsky, J.O.Carmichael, N.M.E., , Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134** 97
Caudle, R.M., see Zhou, Q., **134** 9
Charlton, M.P., see Carmichael, N.M.E., **134** 97
Chen, L., see Dorsi, M.J., **134** 320
Codd, E.E., Martinez, R.P., Molino, L., Rogers, K.E., Stone, D.J., Tallarida, R.J., Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia, **134** 254
Coghill, R.C., see Yelle, M.D., **134** 174
Cohen-Mansfield, J., Lipson, S., The utility of pain assessment for analgesic use in persons with dementia, **134** 16
Constandil, L., see Pelissier, T., **134** 113
Craig, K.D., see Vervoort, T., **134** 59
Crombez, G., see Vervoort, T., **134** 59

Dahl, N., see Symons, F.J., **134** 232
Davis, R., see Thompson, T., **134** 187
de Jong, B.M., see Gieteling, E.W., **134** 302
De Lapeyra, C., see Pelissier, T., **134** 113
De Pascalis, V., Cacace, I., Massicolle, F., Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134** 197
Dehoorne, J., see Vervoort, T., **134** 59
Dietrich, A.J., see Kroenke, K., **134** 209
Dong, X., see Sung, D., **134** 41

Dorsi, M.J., Chen, L., Murinson, B.B., Pogatzki-Zahn, E.M., Meyer, R.A., Belzberg, A.J., The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134** 320
Dostrovsky, J.O., see Carmichael, N.M.E., **134** 97

Edelsbrunner, M., see Wultsch, T., **134** 245
Ernberg, M., see Sung, D., **134** 41
Espinosa, J., see Pelissier, T., **134** 113

Fillingim, R.B., see Campbell, C.M., **134** 91
France, C.R., see Campbell, C.M., **134** 91
French, C.C., see Thompson, T., **134** 187

Geffken, G.R., see Campbell, C.M., **134** 91
Georgiev, S.K., Kohno, T., Ikoma, M., Yamakura, T., Baba, H., Nitrous oxide inhibits glutamatergic transmission in spinal dorsal horn neurons, **134** 24
Gieteling, E.W., van Rijn, M.A., de Jong, B.M., Hoogduin, J.M., Renken, R., van Hilten, J.J., Leenders, K.L., Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia, **134** 302
Goubert, L., see Vervoort, T., **134** 59
Greco, C.M., see Morone, N.E., **134** 310
Greco, C.M., Weiner, D.K.Morone, N.E., , Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study, **134** 310
Greenberg, M.A., see Young Casey, C., **134** 69
Gureje, O., Treating chronic pain in the context of comorbid depression, **134** 3

Haanpää, M., see Jokela, R., **134** 106
Hardrict, R., see Symons, F.J., **134** 232
Harpin, R.E., see Young Casey, C., **134** 69
Hasenbring, M., see Rusu, A.C., **134** 80
Helzer, J.E., see Naylor, M.R., **134** 335
Hernández, A., see Pelissier, T., **134** 113
Hidding, A., see Smeets, R.J.E.M., **134** 263
Hisa, H., see Ohsawa, M., **134** 285
Holzer, P., see Wultsch, T., **134** 245
Hoogduin, J.M., see Gieteling, E.W., **134** 302
Horvath, G., Kekesi, G., Nagy, E., Benedek, G., The role of TRPV1 receptors in the antinociceptive effect of anandamide at spinal level, **134** 277
Hubbard, D., see Young Casey, C., **134** 69
Huguet, A., Miró, J., Nieto, R., The Inventory of Parent/Caregiver Responses to the Children's Pain Experience (IRPEDNA): Development and preliminary validation, **134** 128

Iadarola, M.J., see Mitchell, K., **134** 216
Ikoma, M., see Georgiev, S.K., **134** 24
Infante, C., see Pelissier, T., **134** 113

doi:10.1016/S0304-3959(07)00735-X

PAIN

Pain 134 (2008) 346–348

www.elsevier.com/locate/pain

Author Index to Volume 134 (2008)

Ahonen, J., see Jokela, R., **134** 106
Asghari, A., see Nicholas, M.K., **134** 158
Asmundson, G.J.G., Bovell, C.V., Carleton, R.N., McWilliams, L.A., The Fear of Pain Questionnaire – Short Form (FPQ-SF): Factorial validity and psychometric properties, **134** 51

Baba, H., see Georgiev, S.K., **134** 24
Belzberg, A.J., see Dorsi, M.J., **134** 320
Benedek, G., see Horvath, G., **134** 277
Blyth, F.M., see Nicholas, M.K., **134** 158
Bodfish, J.W., see Symons, F.J., **134** 232
Bovell, C.V., see Asmundson, G.J.G., **134** 51
Brigidi, B., see Naylor, M.R., **134** 335
Buysse, A., see Vervoort, T., **134** 59

Cacace, I., see De Pascalis, V., **134** 197
Cairns, B.E., see Sung, D., **134** 41
Campbell, C.M., France, C.R., Robinson, M.E., Logan, H.L., Geffken, G.R., Fillingim, R.B., Ethnic differences in the nociceptive flexion reflex (NFR), **134** 91
Carleton, R.N., see Asmundson, G.J.G., **134** 51
Charlton, M.P., Dostrovsky, J.O.Carmichael, N.M.E., , Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134** 97
Caudle, R.M., see Zhou, Q., **134** 9
Charlton, M.P., see Carmichael, N.M.E., **134** 97
Chen, L., see Dorsi, M.J., **134** 320
Codd, E.E., Martinez, R.P., Molino, L., Rogers, K.E., Stone, D.J., Tallarida, R.J., Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia, **134** 254
Coghill, R.C., see Yelle, M.D., **134** 174
Cohen-Mansfield, J., Lipson, S., The utility of pain assessment for analgesic use in persons with dementia, **134** 16
Constandil, L., see Pelissier, T., **134** 113
Craig, K.D., see Vervoort, T., **134** 59
Crombez, G., see Vervoort, T., **134** 59

Dahl, N., see Symons, F.J., **134** 232
Davis, R., see Thompson, T., **134** 187
de Jong, B.M., see Gieteling, E.W., **134** 302
De Lapeyra, C., see Pelissier, T., **134** 113
De Pascalis, V., Cacace, I., Massicolle, F., Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134** 197
Dehoorne, J., see Vervoort, T., **134** 59
Dietrich, A.J., see Kroenke, K., **134** 209
Dong, X., see Sung, D., **134** 41

Dorsi, M.J., Chen, L., Murinson, B.B., Pogatzki-Zahn, E.M., Meyer, R.A., Belzberg, A.J., The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134** 320
Dostrovsky, J.O., see Carmichael, N.M.E., **134** 97

Edelsbrunner, M., see Wultsch, T., **134** 245
Ernberg, M., see Sung, D., **134** 41
Espinosa, J., see Pelissier, T., **134** 113

Fillingim, R.B., see Campbell, C.M., **134** 91
France, C.R., see Campbell, C.M., **134** 91
French, C.C., see Thompson, T., **134** 187

Geffken, G.R., see Campbell, C.M., **134** 91
Georgiev, S.K., Kohno, T., Ikoma, M., Yamakura, T., Baba, H., Nitrous oxide inhibits glutamatergic transmission in spinal dorsal horn neurons, **134** 24
Gieteling, E.W., van Rijn, M.A., de Jong, B.M., Hoogduin, J.M., Renken, R., van Hilten, J.J., Leenders, K.L., Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia, **134** 302
Goubert, L., see Vervoort, T., **134** 59
Greco, C.M., see Morone, N.E., **134** 310
Greco, C.M., Weiner, D.K.Morone, N.E., , Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study, **134** 310
Greenberg, M.A., see Young Casey, C., **134** 69
Gureje, O., Treating chronic pain in the context of comorbid depression, **134** 3

Haanpää, M., see Jokela, R., **134** 106
Hardrict, R., see Symons, F.J., **134** 232
Harpin, R.E., see Young Casey, C., **134** 69
Hasenbring, M., see Rusu, A.C., **134** 80
Helzer, J.E., see Naylor, M.R., **134** 335
Hernández, A., see Pelissier, T., **134** 113
Hidding, A., see Smeets, R.J.E.M., **134** 263
Hisa, H., see Ohsawa, M., **134** 285
Holzer, P., see Wultsch, T., **134** 245
Hoogduin, J.M., see Gieteling, E.W., **134** 302
Horvath, G., Kekesi, G., Nagy, E., Benedek, G., The role of TRPV1 receptors in the antinociceptive effect of anandamide at spinal level, **134** 277
Hubbard, D., see Young Casey, C., **134** 69
Huguet, A., Miró, J., Nieto, R., The Inventory of Parent/Caregiver Responses to the Children's Pain Experience (IRPEDNA): Development and preliminary validation, **134** 128

Iadarola, M.J., see Mitchell, K., **134** 216
Ikoma, M., see Georgiev, S.K., **134** 24
Infante, C., see Pelissier, T., **134** 113

doi:10.1016/S0304-3959(07)00735-X

Jokela, R., Ahonen, J., Tallgren, M., Haanpää, M., Korttila, K., A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy, **134** 106
Joos, R., see Vervoort, T., **134** 59

Keefe, F.J., see Naylor, M.R., **134** 335
Keefe, F.J., see Malenbaum, S., **134** 241
Kekesi, G., see Horvath, G., **134** 277
Keller, J.M., see Mitchell, K., **134** 216
Kennedy, W., see Symons, F.J., **134** 232
Keogh, E., see Thompson, T., **134** 187
Kester, A.D.M., see Smeets, R.J.E.M., **134** 263
Knottnerus, J. A., see Smeets, R.J.E.M., **134** 263
Kohno, T., see Georgiev, S.K., **134** 24
Korttila, K., see Jokela, R., **134** 106
Kroenke, K., Shen, J., Oxman, T.E., Williams, J.W., Dietrich, A.J., Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial, **134** 209
Kumar, U., see Sung, D., **134** 41

Lazdunski, M., see Wultsch, T., **134** 245
Leenders, K.L., see Gieteling, E.W., **134** 302
Linton, S.J., McCracken, L.M., Vlaeyen, J.W.S., Reassurance: Help or hinder in the treatment of pain, **134** 5
Lipson, S., see Cohen-Mansfield, J., **134** 16
Logan, H.L., see Campbell, C.M., **134** 91
Lumb, B.M., see Waters, A.J., **134** 32

Malenbaum, S., Keefe, F.J., Williams, A.C.de C., Ulrich, R., Somers, T.J., Pain in its environmental context: implications for designing environments to enhance pain control, **134** 241
Malkmus, S., see Nagakura, Y., **134** 293
Martinez, R.P., see Codd, E.E., **134** 254
Massicolle, F., see De Pascalis, V., **134** 197
Matthys, D., see Vervoort, T., **134** 59
McCracken, L.M., see Linton, S.J., **134** 5
McWilliams, L.A., see Asmundson, G.J.G., **134** 51
Meyer, R.A., see Dorsi, M.J., **134** 320
Mezey, E., see Mitchell, K., **134** 216
Miró, J., see Huguet, A., **134** 128
Mitchell, K., Yang, H.-Y.T., Tessier, P.A., Muhly, W.T., Swaim, W.D., Szalayova, I., Keller, J.M., Mezey, E., Iadarola, M.J., Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation, **134** 216
Mitrovic, M., see Wultsch, T., **134** 245
Molino, L., see Codd, E.E., **134** 254
Morley, S., Relapse prevention: Still neglected after all these years, **134** 239
Muhly, W.T., see Mitchell, K., **134** 216
Murinson, B.B., see Dorsi, M.J., **134** 320
Mutoh, J., see Ohsawa, M., **134** 285

Nagakura, Y., Malkmus, S., Yaksh, T.L., Determination of current threshold for paw withdrawal with sine-wave electrical stimulation in rats: Effect of drugs and alteration in acute inflammation, **134** 293
Nagy, E., see Horvath, G., **134** 277
Naud, S., see Naylor, M.R., **134** 335
Naylor, M.R., Keefe, F.J., Brigidi, B., Naud, S., Helzer, J.E., Therapeutic Interactive Voice Response for chronic pain reduction and relapse prevention, **134** 335
Nicassio, P.M., see Young Casey, C., **134** 69
Nicholas, M.K., Asghari, A., Blyth, F.M., What do the numbers mean? Normative data in chronic pain measures, **134** 158
Nieto, R., see Huguet, A., **134** 128

Ohsawa, M., Mutoh, J., Hisa, H., Mevalonate sensitizes the nociceptive transmission in the mouse spinal cord, **134** 285
Oxman, T.E., see Kroenke, K., **134** 209
Ozaki, N., see Shinoda, M., **134** 148

Painsipp, E., see Wultsch, T., **134** 245
Pelissier, T., Infante, C., Constandil, L., Espinosa, J., De Lapeyra, C., Hernández, A., Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats, **134** 113
Peretz, I., see Roy, M., **134** 140
Pogatzki-Zahn, E.M., see Dorsi, M.J., **134** 320
Price, D.D., see Zhou, Q., **134** 9

Rainville, P., see Roy, M., **134** 140
Rainville, P., Hypnosis and the analgesic effect of suggestions, **134** 1
Renken, R., see Gieteling, E.W., **134** 302
Robinson, M.E., see Campbell, C.M., **134** 91
Rogers, J.M., see Yelle, M.D., **134** 174
Rogers, K.E., see Codd, E.E., **134** 254
Roy, M., Peretz, I., Rainville, P., Emotional valence contributes to music-induced analgesia, **134** 140
Rusu, A.C., Hasenbring, M., Multidimensional Pain Inventory derived classifications of chronic pain: Evidence for maladaptive pain-related coping within the dysfunctional group, **134** 80

Shahbazian, A., see Wultsch, T., **134** 245
Shen, J., see Kroenke, K., **134** 209
Shinoda, M., Ozaki, N., Sugiura, Y., Involvement of ATP and its receptors on nociception in rat model of masseter muscle pain, **134** 148
Smeets, R.J.E.M., Vlaeyen, J.W.S., Hidding, A., Kester, A.D.M., van der Heijden, G.J.M.G., Knottnerus, J. A., Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial, **134** 263
Somers, T.J., see Malenbaum, S., **134** 241
Stone, D.J., see Codd, E.E., **134** 254
Sugiura, Y., see Shinoda, M., **134** 148
Sung, D., Dong, X., Ernberg, M., Kumar, U., Cairns, B.E., Serotonin (5-HT) excites rat masticatory muscle afferent fibers through activation of peripheral 5-HT_3 receptors, **134** 41
Swaim, W.D., see Mitchell, K., **134** 216
Szalayova, I., see Mitchell, K., **134** 216

Tallarida, R.J., see Codd, E.E., **134** 254
Tallgren, M., see Jokela, R., **134** 106
Tessier, P.A., see Mitchell, K., **134** 216
Thompson, T., Keogh, E., French, C.C., Davis, R., Anxiety sensitivity and pain: Generalisability across noxious stimuli, **134** 187

Ulrich, R., see Malenbaum, S., **134** 241

van der Heijden, G.J.M.G., see Smeets, R.J.E.M., **134** 263
van Hilten, J.J., see Gieteling, E.W., **134** 302
van Rijn, M.A., see Gieteling, E.W., **134** 302
Verne, G.N., see Zhou, Q., **134** 9
Vervoort, T., Craig, K.D., Goubert, L., Dehoorne, J., Joos, R., Matthys, D., Buysse, A., Crombez, G., Expressive dimensions of pain catastrophizing: A comparative analysis of school children and children with clinical pain, **134** 59
Vlaeyen, J.W.S., see Smeets, R.J.E.M., **134** 263
Vlaeyen, J.W.S., see Linton, S.J., **134** 5

Waldmann, R., see Wultsch, T., **134** 245
Waters, A.J., Lumb, B.M., Descending control of spinal nociception from the periaqueductal grey distinguishes between neurons with and without C-fibre inputs, **134** 32

Weiner, D.K., see Morone, N.E., **134** 310
Wendelschafer-Crabb, G., see Symons, F.J., **134** 232
Wendelschafer-Crabb, G., Kennedy, W., Hardrict, R., Dahl, N., Bodfish, J.W.Symons, F.J., , Evidence of altered epidermal nerve fiber morphology in adults with self-injurious behavior and neurodevelopmental disorders, **134** 232
Williams, A.C.de C., see Malenbaum, S., **134** 241
Williams, J.W., see Kroenke, K., **134** 209
Wultsch, T., Painsipp, E., Shahbazian, A., Mitrovic, M., Edelsbrunner, M., Lazdunski, M., Waldmann, R., Holzer, P., Deletion of the acid-sensing ion channel ASIC3 prevents gastritis-induced acid hyperresponsiveness of the stomach–brainstem axis, **134** 245
Yaksh, T.L., see Nagakura, Y., **134** 293
Yamakura, T., see Georgiev, S.K., **134** 24
Yang, H.-Y.T., see Mitchell, K., **134** 216
Yelle, M.D., Rogers, J.M., Coghill, R.C., Offset analgesia: A temporal contrast mechanism for nociceptive information, **134** 174
Young Casey, C., Greenberg, M.A., Nicassio, P.M., Harpin, R.E., Hubbard, D., Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134** 69

Zhou, Q., Price, D.D., Caudle, R.M., Verne, G.N., Visceral and somatic hypersensitivity in a subset of rats following TNBS-induced colitis, **134** 9

Pain 134 (2008) 349–353

PAIN

www.elsevier.com/locate/pain

Subject Index to Volume 134 (2008)

Acid-sensing ion channels
Deletion of the acid-sensing ion channel ASIC3 prevents gastritis-induced acid hyperresponsiveness of the stomach–brainstem axis, **134**, 245

Acute pain
Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134**, 69

Aged
Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study, **134**, 310

Allodynia
The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134**, 320

Analgesia
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134**, 197

Analgesia
Nitrous oxide inhibits glutamatergic transmission in spinal dorsal horn neurons, **134**, 24

Analgesia
Offset analgesia: A temporal contrast mechanism for nociceptive information, **134**, 174

Analgesia
The utility of pain assessment for analgesic use in persons with dementia, **134**, 16

Analgesic synergy
Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia, **134**, 254

Animal model
Visceral and somatic hypersensitivity in a subset of rats following TNBS-induced colitis, **134**, 9

Antiallodynic
Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia, **134**, 254

Antinociception
Mevalonate sensitizes the nociceptive transmission in the mouse spinal cord, **134**, 285

Anxiety sensitivity
Anxiety sensitivity and pain: Generalisability across noxious stimuli, **134**, 187

Assessment
The Inventory of Parent/Caregiver Responses to the Children's Pain Experience (IRPEDNA): Development and preliminary validation, **134**, 128

Assessment
What do the numbers mean? Normative data in chronic pain measures, **134**, 158

Automated telephone
Therapeutic Interactive Voice Response for chronic pain reduction and relapse prevention, **134**, 335

Avoidance-endurance model
Multidimensional Pain Inventory derived classifications of chronic pain: Evidence for maladaptive pain-related coping within the dysfunctional group, **134**, 80

Blood–brain barrier
Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation, **134**, 216

Cannabinoid
The role of TRPV1 receptors in the antinociceptive effect of anandamide at spinal level, **134**, 277

Capsaicin
Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats, **134**, 113

Capsaicin
Determination of current threshold for paw withdrawal with sine-wave electrical stimulation in rats: Effect of drugs and alteration in acute inflammation, **134**, 293

Capsazepine
The role of TRPV1 receptors in the antinociceptive effect of anandamide at spinal level, **134**, 277

Central sensitization
The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134**, 320

CGRP
Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134**, 97

Children
Expressive dimensions of pain catastrophizing: A comparative analysis of school children and children with clinical pain, **134**, 59

Chronic low back pain
Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial, **134**, 263

Chronic pain
Multidimensional Pain Inventory derived classifications of chronic pain: Evidence for maladaptive pain-related coping within the dysfunctional group, **134**, 80

Chronic pain
Therapeutic Interactive Voice Response for chronic pain reduction and relapse prevention, **134**, 335

Chronic pain
Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134**, 69

Chronic pain
What do the numbers mean? Normative data in chronic pain measures, **134**, 158

Cognitive
Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134**, 69

doi:10.1016/S0304-3959(07)00736-1

Cognitive–behavioral therapy
Therapeutic Interactive Voice Response for chronic pain reduction and relapse prevention, **134**, 335
Cognitive-behavioral therapy
Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial, **134**, 263
Cold pressor
Anxiety sensitivity and pain: Generalisability across noxious stimuli, **134**, 187
Complex regional pain syndrome type 1
Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia, **134**, 302
Controlled trial
Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study, **134**, 310
Coping
Multidimensional Pain Inventory derived classifications of chronic pain: Evidence for maladaptive pain-related coping within the dysfunctional group, **134**, 80
Coping
Therapeutic Interactive Voice Response for chronic pain reduction and relapse prevention, **134**, 335
(±)CPP
Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats, **134**, 113
Current threshold
Determination of current threshold for paw withdrawal with sine-wave electrical stimulation in rats: Effect of drugs and alteration in acute inflammation, **134**, 293
Cutaneous innervation
Evidence of altered epidermal nerve fiber morphology in adults with self-injurious behavior and neurodevelopmental disorders, **134**, 232
Dementia
The utility of pain assessment for analgesic use in persons with dementia, **134**, 16
Depression
Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial, **134**, 209
Depression
Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134**, 69
Descending control
Descending control of spinal nociception from the periaqueductal grey distinguishes between neurons with and without C-fibre inputs, **134**, 32
Diazepam
A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy, **134**, 106
Disability
Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134**, 69
Dorsal horn
Nitrous oxide inhibits glutamatergic transmission in spinal dorsal horn neurons, **134**, 24
Dystonia
Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia, **134**, 302
Electrical stimulation
Determination of current threshold for paw withdrawal with sine-wave electrical stimulation in rats: Effect of drugs and alteration in acute inflammation, **134**, 293
Emotion
Emotional valence contributes to music-induced analgesia, **134**, 140
Endogenous ATP
Involvement of ATP and its receptors on nociception in rat model of masseter muscle pain, **134**, 148
Ethnic differences
Ethnic differences in the nociceptive flexion reflex (NFR), **134**, 91
Exercise
Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial, **134**, 263
Experimental pain
Ethnic differences in the nociceptive flexion reflex (NFR), **134**, 91
Expression of c-Fos
Deletion of the acid-sensing ion channel ASIC3 prevents gastritis-induced acid hyperresponsiveness of the stomach–brainstem axis, **134**, 245
Factor analysis
The Fear of Pain Questionnaire – Short Form (FPQ-SF): Factorial validity and psychometric properties, **134**, 51
Fear of pain
The Fear of Pain Questionnaire – Short Form (FPQ-SF): Factorial validity and psychometric properties, **134**, 51
fMRI
Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia, **134**, 302
FPQ-III
The Fear of Pain Questionnaire – Short Form (FPQ-SF): Factorial validity and psychometric properties, **134**, 51
FPQ-SF
The Fear of Pain Questionnaire – Short Form (FPQ-SF): Factorial validity and psychometric properties, **134**, 51
Gastric acid hyperresponsiveness
Deletion of the acid-sensing ion channel ASIC3 prevents gastritis-induced acid hyperresponsiveness of the stomach–brainstem axis, **134**, 245
Gastritis
Deletion of the acid-sensing ion channel ASIC3 prevents gastritis-induced acid hyperresponsiveness of the stomach–brainstem axis, **134**, 245
Geranylgeranylation
Mevalonate sensitizes the nociceptive transmission in the mouse spinal cord, **134**, 285
Glutamate receptors
Nitrous oxide inhibits glutamatergic transmission in spinal dorsal horn neurons, **134**, 24
5-$HT_{1B/D}$ receptor agonists
Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134**, 97
Hyperalgesia
The role of TRPV1 receptors in the antinociceptive effect of anandamide at spinal level, **134**, 277
Hyperalgesia
The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134**, 320
Hypnosis
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134**, 197
Imaging
Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia, **134**, 302
Inflammation
Determination of current threshold for paw withdrawal with sine-wave electrical stimulation in rats: Effect of drugs and alteration in acute inflammation, **134**, 293
Inflammation
Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation, **134**, 216

Innate immune system
Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation, **134**, 216
Intrathecal
The role of TRPV1 receptors in the antinociceptive effect of anandamide at spinal level, **134**, 277
IRPEDNA
The Inventory of Parent/Caregiver Responses to the Children's Pain Experience (IRPEDNA): Development and preliminary validation, **134**, 128
Irritable bowel syndrome
Visceral and somatic hypersensitivity in a subset of rats following TNBS-induced colitis, **134**, 9
IVR
Therapeutic Interactive Voice Response for chronic pain reduction and relapse prevention, **134**, 335
Ketamine
Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats, **134**, 113
Kiel Pain Inventory
Multidimensional Pain Inventory derived classifications of chronic pain: Evidence for maladaptive pain-related coping within the dysfunctional group, **134**, 80
Low back pain
Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study, **134**, 310
Masseter muscle
Involvement of ATP and its receptors on nociception in rat model of masseter muscle pain, **134**, 148
Masseter muscle
Serotonin (5-HT) excites rat masticatory muscle afferent fibers through activation of peripheral 5-HT_3 receptors, **134**, 41
Mechanical hyperalgesia
Involvement of ATP and its receptors on nociception in rat model of masseter muscle pain, **134**, 148
Mechanical threshold
Serotonin (5-HT) excites rat masticatory muscle afferent fibers through activation of peripheral 5-HT_3 receptors, **134**, 41
Meditation
Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study, **134**, 310
Mevalonate
Mevalonate sensitizes the nociceptive transmission in the mouse spinal cord, **134**, 285
Mindfulness
Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study, **134**, 310
Model
Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134**, 69
Monoarthritic rat
Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats, **134**, 113
Movement execution
Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia, **134**, 302
Movement imagining
Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia, **134**, 302
Multidimensional Pain Inventory
Multidimensional Pain Inventory derived classifications of chronic pain: Evidence for maladaptive pain-related coping within the dysfunctional group, **134**, 80
Multidisciplinary treatment
Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial, **134**, 263
Music
Emotional valence contributes to music-induced analgesia, **134**, 140
Myofascial TMD pain
Serotonin (5-HT) excites rat masticatory muscle afferent fibers through activation of peripheral 5-HT_3 receptors, **134**, 41
N140
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134**, 197
Nerve injury
The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134**, 320
Neurofibroma
The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134**, 320
Neurogenic inflammation
Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134**, 97
Neuroimmunology
Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation, **134**, 216
Neuroma
The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134**, 320
Neuropathic pain
The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia, **134**, 320
Neuropathic pain
Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia, **134**, 254
Neutrophils
Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation, **134**, 216
Nitrous oxide
Nitrous oxide inhibits glutamatergic transmission in spinal dorsal horn neurons, **134**, 24
NMDA receptor
Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats, **134**, 113
Nociception
Descending control of spinal nociception from the periaqueductal grey distinguishes between neurons with and without C-fibre inputs, **134**, 32
Nociception
Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation, **134**, 216
Nociceptive flexion reflex
Ethnic differences in the nociceptive flexion reflex (NFR), **134**, 91
Nociceptor
Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134**, 97
Normative data
What do the numbers mean? Normative data in chronic pain measures, **134**, 158
Nucleus of the solitary tract
Deletion of the acid-sensing ion channel ASIC3 prevents gastritis-induced acid hyperresponsiveness of the stomach–brainstem axis, **134**, 245

Offset Analgesia
Offset analgesia: A temporal contrast mechanism for nociceptive information, **134**, 174
Orofacial pain
Serotonin (5-HT) excites rat masticatory muscle afferent fibers through activation of peripheral 5-HT_3 receptors, **134**, 41
Oxycodone
A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy, **134**, 106
P200
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134**, 197
$P2X_3$ receptor
Involvement of ATP and its receptors on nociception in rat model of masseter muscle pain, **134**, 148
PAG
Descending control of spinal nociception from the periaqueductal grey distinguishes between neurons with and without C-fibre inputs, **134**, 32
Pain
Anxiety sensitivity and pain: Generalisability across noxious stimuli, **134**, 187
Pain
Emotional valence contributes to music-induced analgesia, **134**, 140
Pain
Evidence of altered epidermal nerve fiber morphology in adults with self-injurious behavior and neurodevelopmental disorders, **134**, 232
Pain
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134**, 197
Pain
Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial, **134**, 209
Pain
Offset analgesia: A temporal contrast mechanism for nociceptive information, **134**, 174
Pain
The Fear of Pain Questionnaire – Short Form (FPQ-SF): Factorial validity and psychometric properties, **134**, 51
Pain
The role of TRPV1 receptors in the antinociceptive effect of anandamide at spinal level, **134**, 277
Pain
The utility of pain assessment for analgesic use in persons with dementia, **134**, 16
Pain catastrophizing
Expressive dimensions of pain catastrophizing: A comparative analysis of school children and children with clinical pain, **134**, 59
Pain expression
Expressive dimensions of pain catastrophizing: A comparative analysis of school children and children with clinical pain, **134**, 59
Pain memory
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134**, 197
Pain modulation
Emotional valence contributes to music-induced analgesia, **134**, 140
Pain sensation
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134**, 197
Parent/Caregiver Responses to the Children's Pain Experience
The Inventory of Parent/Caregiver Responses to the Children's Pain Experience (IRPEDNA): Development and preliminary validation, **134**, 128
Parents
Expressive dimensions of pain catastrophizing: A comparative analysis of school children and children with clinical pain, **134**, 59
Paw pressure
Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats, **134**, 113
Paw withdrawal
Determination of current threshold for paw withdrawal with sine-wave electrical stimulation in rats: Effect of drugs and alteration in acute inflammation, **134**, 293
Pediatric pain
The Inventory of Parent/Caregiver Responses to the Children's Pain Experience (IRPEDNA): Development and preliminary validation, **134**, 128
Plasma extravasation
Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134**, 97
Postoperative analgesia
A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy, **134**, 106
Postoperative pain
A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy, **134**, 106
Pregabalin
A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy, **134**, 106
Premedication
A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy, **134**, 106
Primary care
Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial, **134**, 209
Psychophysics
Emotional valence contributes to music-induced analgesia, **134**, 140
Psychophysics
Offset analgesia: A temporal contrast mechanism for nociceptive information, **134**, 174
Psychosocial factors
Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134**, 69
Randomized
Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study, **134**, 310
Randomized clinical trial
Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial, **134**, 209
Randomized controlled trial
Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial, **134**, 263
Rehabilitation
Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial, **134**, 263
RhoA
Mevalonate sensitizes the nociceptive transmission in the mouse spinal cord, **134**, 285
RIII
Ethnic differences in the nociceptive flexion reflex (NFR), **134**, 91
Self-injurious behavior
Evidence of altered epidermal nerve fiber morphology in adults with self-injurious behavior and neurodevelopmental disorders, **134**, 232

Self-report
What do the numbers mean? Normative data in chronic pain measures, **134**, 158
Sex differences
Anxiety sensitivity and pain: Generalisability across noxious stimuli, **134**, 187
Signal Processing
Offset analgesia: A temporal contrast mechanism for nociceptive information, **134**, 174
Sine wave
Determination of current threshold for paw withdrawal with sine-wave electrical stimulation in rats: Effect of drugs and alteration in acute inflammation, **134**, 293
Somatic hypersensitivity
Visceral and somatic hypersensitivity in a subset of rats following TNBS-induced colitis, **134**, 9
Somatosensory event-related potentials
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials, **134**, 197
Spinal cord
Descending control of spinal nociception from the periaqueductal grey distinguishes between neurons with and without C-fibre inputs, **134**, 32
Spinal cord
Mevalonate sensitizes the nociceptive transmission in the mouse spinal cord, **134**, 285
Spinal nerve ligation
Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia, **134**, 254
Substance P
Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134**, 97
Sumatriptan
Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134**, 97
Temporal filter
Offset analgesia: A temporal contrast mechanism for nociceptive information, **134**, 174
Temporalis muscle
Serotonin (5-HT) excites rat masticatory muscle afferent fibers through activation of peripheral 5-HT_3 receptors, **134**, 41
Thermal heat
Anxiety sensitivity and pain: Generalisability across noxious stimuli, **134**, 187
TNBS
Visceral and somatic hypersensitivity in a subset of rats following TNBS-induced colitis, **134**, 9
Topiramate
Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia, **134**, 254
Tramadol
Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia, **134**, 254
Translocation
Mevalonate sensitizes the nociceptive transmission in the mouse spinal cord, **134**, 285
Trauma
Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors, **134**, 69
Treatment
Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial, **134**, 209
Tropisetron
Serotonin (5-HT) excites rat masticatory muscle afferent fibers through activation of peripheral 5-HT_3 receptors, **134**, 41
Vagal afferent neurons
Deletion of the acid-sensing ion channel ASIC3 prevents gastritis-induced acid hyperresponsiveness of the stomach–brainstem axis, **134**, 245
Vasodilation
Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin, **134**, 97
Visceral hypersensitivity
Visceral and somatic hypersensitivity in a subset of rats following TNBS-induced colitis, **134**, 9
Whole-cell patch-clamp
Nitrous oxide inhibits glutamatergic transmission in spinal dorsal horn neurons, **134**, 24

PAIN

Pain 134 (2008) 354–355

www.elsevier.com/locate/pain

Contents to Volume 134 (2008)

Numbers 1–2 – January 2008

EDITORIALS

Hypnosis and the analgesic effect of suggestions
P. Rainville (Canada) 1

Treating chronic pain in the context of comorbid depression
O. Gureje (Niger) 3

TOPICAL REVIEW

Reassurance: Help or hinder in the treatment of pain
S.J. Linton, L.M. McCracken, J.W.S. Vlaeyen (Sweden, UK, Belgium, The Netherlands) 5

RESEARCH PAPERS

Visceral and somatic hypersensitivity in a subset of rats following TNBS-induced colitis
Q. Zhou, D.D. Price, R.M. Caudle, G.N. Verne (USA) 9

The utility of pain assessment for analgesic use in persons with dementia
J. Cohen-Mansfield, S. Lipson (USA, Israel) 16

Nitrous oxide inhibits glutamatergic transmission in spinal dorsal horn neurons
S.K. Georgiev, T. Kohno, M. Ikoma, T. Yamakura, H. Baba (Japan) 24

Descending control of spinal nociception from the periaqueductal grey distinguishes between neurons with and without C-fibre inputs
A.J. Waters, B.M. Lumb (UK) 32

Serotonin (5-HT) excites rat masticatory muscle afferent fibers through activation of peripheral 5-HT_3 receptors
D. Sung, X. Dong (), M. Ernberg, U. Kumar, B.E. Cairns (Canada, Sweden) 41

The Fear of Pain Questionnaire – Short Form (FPQ-SF): Factorial validity and psychometric properties
G.J.G. Asmundson, C.V. Bovell, R.N. Carleton, L.A. McWilliams (Canada) 51

Expressive dimensions of pain catastrophizing: A comparative analysis of school children and children with clinical pain
T. Vervoort, K.D. Craig, L. Goubert, J. Dehoorne, R. Joos, D. Matthys, A. Buysse, G. Crombez (Belgium, The Netherlands, Canada) 59

Transition from acute to chronic pain and disability: A model including cognitive, affective, and trauma factors
C. Young Casey, M.A. Greenberg, P.M. Nicassio, R.E. Harpin, D. Hubbard (USA) 69

Multidimensional Pain Inventory derived classifications of chronic pain: Evidence for maladaptive pain-related coping within the dysfunctional group
A.C. Rusu, M. Hasenbring (UK, Germany) 80

Ethnic differences in the nociceptive flexion reflex (NFR)
C.M. Campbell, C.R. France, M.E. Robinson, H.L. Logan, G.R. Geffken, R.B. Fillingim (USA) 91

Activation of the 5-$HT_{1B/D}$ receptor reduces hindlimb neurogenic inflammation caused by sensory nerve stimulation and capsaicin
N.M.E. Carmichael, M.P. Charlton, J.O. Dostrovsky (Canada) 97

A randomized controlled trial of perioperative administration of pregabalin for pain after laparoscopic hysterectomy
R. Jokela, J. Ahonen, M. Tallgren, M. Haanpää, K. Korttila (Finland) 106

Antinociceptive effect and interaction of uncompetitive and competitive NMDA receptor antagonists upon capsaicin and paw pressure testing in normal and monoarthritic rats
T. Pelissier, C. Infante, L. Constandil, J. Espinosa, C. De Lapeyra, A. Hernández (Chile) 113

The Inventory of Parent/Caregiver Responses to the Children's Pain Experience (IRPEDNA): Development and preliminary validation
A. Huguet, J. Miró, R. Nieto (Spain) 128

Emotional valence contributes to music-induced analgesia
M. Roy, I. Peretz, P. Rainville (Canada) 140

Involvement of ATP and its receptors on nociception in rat model of masseter muscle pain
M. Shinoda, N. Ozaki, Y. Sugiura (Japan) 148

doi:10.1016/S0304-3959(07)00737-3

What do the numbers mean? Normative data in chronic pain measures
M.K. Nicholas, A. Asghari, F.M. Blyth (Australia, Iran) 158
Offset analgesia: A temporal contrast mechanism for nociceptive information
M.D. Yelle, J.M. Rogers, R.C. Coghill (USA) 174
Anxiety sensitivity and pain: Generalisability across noxious stimuli
T. Thompson, E. Keogh, C.C. French, R. Davis (UK) 187
Focused analgesia in waking and hypnosis: Effects on pain, memory, and somatosensory event-related potentials
V. De Pascalis, I. Cacace, F. Massicolle (Italy) 197
Impact of pain on the outcomes of depression treatment: Results from the RESPECT trial
K. Kroenke, J. Shen, T.E. Oxman, J.W. Williams, A.J. Dietrich (USA) 209
Localization of S100A8 and S100A9 expressing neutrophils to spinal cord during peripheral tissue inflammation
K. Mitchell, H.-Y.T. Yang, P.A. Tessier, W.T. Muhly, W.D. Swaim, I. Szalayova, J.M. Keller, E. Mezey, M.J. Iadarola (USA, Canada) 216

CLINICAL NOTE

Evidence of altered epidermal nerve fiber morphology in adults with self-injurious behavior and neurodevelopmental disorders
F.J. Symons, G. Wendelschafer-Crabb, W. Kennedy, R. Hardrict, N. Dahl, J.W. Bodfish (USA) 232

Number 3 – February 2008

EDITORIAL

Relapse prevention: Still neglected after all these years
S. Morley (UK) 239

TOPICAL REVIEW

Pain in its environmental context: implications for designing environments to enhance pain control
S. Malenbaum, F.J. Keefe, A.C. de C. Williams, R. Ulrich, T.J. Somers (USA) 241

RESEARCH PAPERS

Deletion of the acid-sensing ion channel ASIC3 prevents gastritis-induced acid hyperresponsiveness of the stomach–brainstem axis
T. Wultsch, E. Painsipp, A. Shahbazian, M. Mitrovic, M. Edelsbrunner, M. Lazdunski, R. Waldmann, P. Holzer (Austria, France) 245
Tramadol and several anticonvulsants synergize in attenuating nerve injury-induced allodynia
E.E. Codd, R.P. Martinez, L. Molino, K.E. Rogers, D.J. Stone, R.J. Tallarida (USA) 254
Chronic low back pain: Physical training, graded activity with problem solving training, or both? The one-year post-treatment results of a randomized controlled trial
R.J.E.M. Smeets, J.W.S. Vlaeyen, A. Hidding, A.D.M. Kester, G.J.M.G. van der Heijden, J. A. Knottnerus (The Netherlands) 263
The role of TRPV1 receptors in the antinociceptive effect of anandamide at spinal level
G. Horvath, G. Kekesi, E. Nagy, G. Benedek (Hungary) 277
Mevalonate sensitizes the nociceptive transmission in the mouse spinal cord
M. Ohsawa, J. Mutoh, H. Hisa (Japan) 285
Determination of current threshold for paw withdrawal with sine-wave electrical stimulation in rats: Effect of drugs and alteration in acute inflammation
Y. Nagakura, S. Malkmus, T.L. Yaksh (USA) 293
Cerebral activation during motor imagery in complex regional pain syndrome type 1 with dystonia
E.W. Gieteling, M.A. van Rijn, B.M. de Jong, J.M. Hoogduin, R. Renken, J.J. van Hilten, K.L. Leenders (The Netherlands) 302
Mindfulness meditation for the treatment of chronic low back pain in older adults: A randomized controlled pilot study
N.E. Morone, C.M. Greco, D.K. Weiner (USA) 310
The tibial neuroma transposition (TNT) model of neuroma pain and hyperalgesia
M.J. Dorsi, L. Chen, B.B. Murinson, E.M. Pogatzki-Zahn, R.A. Meyer, A.J. Belzberg (USA, Germany) 320
Therapeutic Interactive Voice Response for chronic pain reduction and relapse prevention
M.R. Naylor, F.J. Keefe, B. Brigidi, S. Naud, J.E. Helzer (USA) 335

Author Index to Volume 134 346
Subject Index to Volume 134 349
Contents to Volume 134 354